Injury Prevention

Jose's Mobil

If you cannot do it safely, don't do it

San Diego, CA (619) 665-6578

NEXT PMI DUE

103.503.5 10/67/17

Miles/Km Date

Last PM

Service 100.503.5 8/24/207

Miles/Km Date

Unit #: 7-1/

Location or

MRC Code: 100 2/1005 A cadeny

VI Signature: 1000 1/2007

DATE: 8/24/2007

This signature certifies that the inspection "Meets or Exceeds" the requirements of "FMCSR Part 396.17-25" as a Federal/Government/Provincial Inspection and the original inspection report is on file at this vehicle's domicile.

1-0048 10/2011

## STATE OF CALIFORNIA DEPARTMENT OF CALIFORNIA HIGHWAY PATROL BUS MAINTENANCE & SAFETY INSPECTION

CHP 108A (Rev. 7-05) OPI 062

\* Inspection of these items meet the minimum requirements of 34505 CVC

DATE	0	DECEMBER INSPECTION	DECEMBE	DATE	D,	CTION	NOVEMBER INSPEC	NOVE	DATE		OCTOBER INSPECTION		DATE	SEPTEMBER INSPECTION
1/63/1	then to	1 Hours	\$ P											
100/18CI	trou &	AUGUST INSPECTION	AUGUST I	DATE	D		JULY INSPECTION	AJUL	DATE		JUNE INSPECTION		DATE	MAY INSPECTION
DATE	)	SPECTION	APRIL INSPECTION	DATE	D	2	MARCH INSPECTION	MARC	DATE		FEBRUARY INSPECTION		DATE	JANUARY INSPECTION
						S	SIGNATURES OF INSPECTORS	ES OF IN	GNATUR	S				1000 1000 1000 1000 1000 1000 1000 100
			NA									ľď	Under carriage-clean and secure	40. Under carriage
			V									tion	Wheel seals-leaks and/or condition	
											and/or condition	ounting, leaks,	Transmission and differential-mounting, leaks, and/or condition	38. Transmission
•			-									d/or guards	Drive shaft, universal joints, and/or guards	37. Drive shaft, ur
			//								ition	cks and/or conc	Frame and cross members-cracks and/or condition	* 36. Frame and cro
			,								Suspension system-springs, shackles, u-bolts, and/or torque rods	ackles, u-bolts,	/stem-springs, sh	35.
												or tie rod ends	Steering arms, drag links, and/or tie rod ends	34.
											onents	lash and comp	Steering system-mounting, free lash and components	33.
											ervice air	plete loss of se	Brakes do not release after complete loss of service air	32.
												peled, operative	Emergency stopping system-labeled, operative	31.
,			7									/ehicle	Parking brake-able to hold the vehicle	30.
			1/								, and/or condition	cks, looseness	Wheels, lug nuts, and studs-cracks, looseness, and/or condition	29.
			V									dition	Tires-tread depth, inflation, condition	28.
			V								ion	for contaminat	Other air tanks-drain and check for contamination	27.
			4								k valve	unction of chec	Primary air tank-drain and test function of check valve	26.
			8								ssure (85-130)	and cut out pre	Air compressor governor-cut in and cut out pressure (85-130)	25.
-			V										1 minute air or vacuum loss test	24.
			<u>.</u>								nd/or condition	ompartments, a	Air brake system-adjustment, compartments, and/or condition	23.
			,									tection	Hoses and tubing-condition, protection	22.
			WA.								ondition	leaks, and/or c	Hydraulic master cylinder-level, leaks, and/or condition	21.
			DA								Hydraulic brake system-adjustment, components, and/or condition	nent, componer	e system-adjustm	20.
			1										Starting and charging system	19.
			9										le linkage	1
			Non										nent-free play	17. Clutch adjustment-free play
			<									ease and/or oil	Engine-mounting, excessive grease and/or oil	16. Engine-mount
			~								Exhaust system, manifolds, piping, muffler-leaks and/or condition	ing, muffler-leal	m, manifolds, pipi	15. Exhaust syste
			ď								leaks	), and/or pump-	Fuel system-tank, hoses, tubing, and/or pump-leaks	14. Fuel system-ta
			9/								rotection	dition, and/or p	Air hoses and tubing-leaks, condition, and/or protection	* 13. Air hoses and
			"									nd/or alternator	Belts-compressor, fan, water, and/or alternator	* 12. Belts-compres
			,								on, and/or leaks	ant level, condit	Radiator and water hoses-coolant level, condition, and/or leaks	11. Radiator and v
			2									ing	Doors, exterior, paint, and marking	.0
			9	+							or Adodding	ind vents	Heaters, defrosters, switches, and vents	
-											for vacuum	ature evit and	Warning devices-air oil temperature evit and/or vacuum	* 8 Warning device
			1					1				and application	Battarias water level terminals and path	1
-		+	1									grataction	Electrical wiring-condition and protection	1
			,								7 20	anals reflector	All interior and exterior lights signals reflectors	1
			1					1	-		Windshield winers windows mirrors and supports	irrors and supr	ners windows m	1
								+	-		and floor condition	adding interior	assender seats in	1
+											ometer	ter and speed	Horn defroster gallines odometer and speedometer	2 Horn defroste
				1	1	1		1			mind devices	nd reflective wa	per first aid kit ar	`
DEF OK DE	OK DEF OK DE	OK DEF C	AUG F OK DEF	OK DEF	OK DEF	OK DEF	OK DEF	OK DEF	OK DEF	OK DEF	TARCEY?	TUNER	F1616	2006 THOMS
+	+	ł	(0,000)						1		TOTAL PARTY OF THE	in my	7 (2 2	VEAD MAKE
	_										11		100	FAMOUS HON
AGE MILEAGE	MILEAGE MILEAGE	MILEAGE	MILEAGE	MILEAGE	MILEAGE	MILEAGE	MILEAGE	MILEAGE	MILEAGE	MILEAGE	# TINU	,		CARRIER NAME

STATE OF CALIFORNIA
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

## **LUBRICATION AND INSPECTION REPORT**

CHP 108A (Rev. 7-05) OPI 062

															100 503.5	RS O	THOMAS F	CARRIER NAME	CHF 108A (Rev. 7-05) OF1 062
															2/1/42/8	DATE	16/6	SNOW	-05) OP1 062
															1166		GHLIN	ACS	
																LUBRICATION OIL CHANGE OIL ADDED	NER	Academy	
,  -																FILTER CHANGE TRANSMISSION DIFFERENTIAL		4	
																WHEEL BEARINGS BATTERIES BRAKE ADJUSTMENT	S S S S S S S S S S S S S S S S S S S		
							-									TIRE PRESSURE A LEVEL SERVICE B LEVEL SERVICE	8		
								, .								C LEVEL SERVICE			
																MILEAGE OR HOURS			
		-														DATE			
5																у			
																LUBRICATION OIL CHANGE OIL ADDED	LICENSE #	# TINU	
																FILTER CHANGE TRANSMISSION DIFFERENTIAL	AB C	/	
																WHEEL BEARINGS BATTERIES BRAKE ADJUSTMENT	36	YEAR 2	
																TIRE PRESSURE A LEVEL SERVICE B LEVEL SERVICE	h	2006	
	٩								-			•				C LEVEL SERVICE			

## BUS NO. 711

- Deross OVER STOP SIGN one signal
- (2) BROKEN WINDSHIELD
- 3 EMERGENCY DOOR ARM BROKE DRIVER SIDE
- (4) TRANSMISION OIL PAN LEAK OIL
- 5 DRIVER SIDE WINDOW No. 10 BROKE
  - 6 signer lights Broke
  - P. REAR BRAKE LINING/PAD' THICKNESS 12/32 No. Less 10/32
  - (8) FRONT BRAKE LINING/PAD THICK NESS 12/32 No. Levellan 10/32